

Assigned DOGM File No.: S 1015/004

DOGM Lead: H. Shepherd

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203
(801) 538-5340
Fax: (801) 359-3940

RECEIVED

JUL 08 1992

DIVISION OF
OIL GAS & MINING

NOTICE OF INTENTION TO COMMENCE SMALL MINING OPERATIONS

The informational requirements of this form are based on provisions of the Mined Land Reclamation Act, Title 40-8, Utah Code Annotated 1987, and the General Rules as promulgated under the Utah Minerals Regulatory Program.

"Small Mining Operations" means mining operations which disturb five or less surface acres at any given time.

I. GENERAL INFORMATION (Rule R647-3-104)

1. Name of Claim/Mine: Clay King South
2. Name of Operator/Applicant: Dan L. Powell and Gerald B. Powell
dba Emery Industrial Resources
Company () Corporation () Partnership (✓) Individual ()
3. Permanent Address: P.O. Box 1131
City: Huntington State: Utah Zip Code: 84528
Telephone Number: (801) 465-2455

4. Ownership of Land Surface:

Private (Fee) ☒ Public Domain (BLM) ☐ National Forest (USFS) ☐
State of Utah ☐ Other: _____

5. Ownership of Minerals:

Private (Fee) ☐ Public Domain (BLM) ☐ National Forest (USFS) ☐
State of Utah ☒ Other: _____

Utah Mining Claim Number(s): _____

Utah State Lease Number(s): ML 45650

6. Have the above owners been notified in writing? Yes ☒ No ☐
If no, why not? _____

7. Does the operator have legal right to enter and conduct mining operations on the land covered by this notice? Yes ☒ No ☐

II. PROJECT LOCATION & MAP (Rule R647-3-105)

1. Project Location (legal description):

County(ies): Emery

____ 1/4, of NE 1/4, of SW 1/4: Section: 32 Township: 16 So. Range: 11 E.
____ 1/4, of SE 1/4, of SW 1/4: Section: 32 Township: 16 So. Range: 11 E.
____ 1/4, of ____ 1/4, of ____ 1/4: Section: ____ Township: ____ Range: ____

2. A topographic base map showing the location of the proposed small mining operation must be submitted with this notice. A USGS 7.5 minute series map is preferred. The areas to be disturbed should be plotted in sufficient detail so that they can be located on the ground. It is recommended that the operator also plot and label any previous disturbances in the immediate vicinity that he is not responsible for.

III. OPERATION PLAN (Rule R647-3-106)

1. Type of mining: Surface ☒ Underground ☐

2. Mineral(s) to be mined: Bentonite Clay

3. Provide a brief description of the proposed mining operation and onsite processing facilities. Mining and Crushing Clay

New Road(s): Length 300 (ft) Width 15 (ft)

Total project surface acreage to be disturbed: 5 (acres)

IV. OPERATION AND RECLAMATION PRACTICES (Rule R647-3-107, 108 & 109)

The reclamation and operation obligation is to keep the area clean and safe, minimize hazards to public safety, return the land to a useful condition, and reestablish at least 70 percent of the premining vegetative ground cover. To accomplish this, the operator will need to perform reclamation concurrently, or at the completion (within one (1) year) of mining:

1. Keep the mining operation in a safe, clean, and environmentally stable condition.
2. Permanently seal all shafts and tunnels to prevent unauthorized or accidental entry.
3. Plug drill holes with a five foot cement surface plug. Holes that encounter fluids are to be plugged in the subsurface to prevent aquifer contamination.
4. Construct berms, fences, or barriers, when needed, above highwalls and excavations.
5. Remove, isolate, or neutralize all toxic materials in a manner compatible with federal and state regulations.
6. Remove all waste or debris from stream channels.
7. Dispose of any trash, scrap metal, wood, machinery, and buildings.
8. Conduct mining activities so as to minimize erosion and control sediment.
9. Reclaim all roads that are not part of a permanent transportation system.
10. Stockpile topsoil and suitable overburden prior to mining.
11. Stabilize highwalls by backfilling or rounding to 45 degrees or less, where feasible; reshape the land to near its original contour, and redistribute the topsoil and suitable overburden.
12. Properly prepare seedbed to a depth of six inches by ripping, discing, or harrowing.
13. Reseed disturbed areas with adaptable species. (The Division recommends seeding 20 lbs./acre of native and introduced species of grass, forb, and browse seed, and will provide a specific species list if requested.)
14. Plant the seed with a rangeland or farm drill, or if broadcast seeded, harrow or rake the seed 1/4-1/2 inch into the soil - fall is the preferred time to seed.

V. VARIANCE REQUEST (Rule R647-3-110)Yes ☐ No ☒

Any planned deviations from Rules R647-3-107, Operation Practices, R647-3-108, Hole Plugging Requirements, or R647-3-109, Reclamation Practices, as summarized above, should be identified below and justification given for the variance request(s).

<u>Item Number</u>	<u>Variance Request Justification</u>
_____	_____
_____	_____
_____	_____
_____	_____

VI. SIGNATURE REQUIREMENT

I hereby commit to conduct mining operations and to reclaim the aforementioned small mine as required by the Utah Mined Land Reclamation Act (40-8) and the rules as specified by the Board of Oil, Gas and Mining.

Signature of Operator/Applicant:



Name (typed or printed):

Dan L. Powell

Title/Position (if applicable):

Owner

Date:

7-8-92

Survey

2220 000 FEET 524

CLAY KING 525 42'30"

S/015/064 526

(COW FLATS)

Victor
(Site)

A topographic map showing a trail. The word "JEEP" is written in a bold, sans-serif font, following the curve of a trail. Below it, the number "5600" is written, indicating an elevation. The map features contour lines and a dashed line representing the trail.

DITCH

Desert

Seap

Sand

Wash

TRAIL

Handwritten notes on the left margin:

- #1
- #2
- #3
- #4
- #5
- #6

$$\times 55 \overline{) 6}$$

5489 X

5582 X

5565

5465 X

X 5576

5500~

89

1

5566

5600-

5500-

32

5500-

5448

55003

55061

✓5500-

5500

5500

5500

550

✓ ✓ ✓
✓ 5600-
✓